



A leader in professional photo and video accessories

2018 CATALOG



Ideal World Marketing Inc. 14805 Archer Ave. Jamaica, NY 11435

Tel: 718-523-2900 Fax: 718-523-3510 www.vidproUSA.com



FL-180

SKU #:	UPC Code:
FL-180	026127771135
180 LED FLEXIBLE LED LIGHT KIT WITH STAND	

Technical Specifications:

LEDs: 180 Hi-Intensity
Power Output: 30 W
Lumens: 700 Lux / M
Color Temperature: 3200K-5600K variable
Beam Angle: 60°
Input: adapter 12 V DC
Dim: 14.5"W x 10.5"H
Weight: 5.5oz (6.5lbs Kit)



Adjustable kelvin color dial offers precise temperature control within the 3200K-5600K spectrum

LED-1X1



Lightweight, Portable and Easy to Set Up
Multiple Power Options - AC Adapter (included)
Accepts Sony V-mount or F Type Batteries
Suitable for Indoor or Outdoor Use

Complete Studio Lighting Kits Include:

- Studio LED Light
- Adjustable 7 Foot Light Stand
- Dual Carry Cases
- Power Supply
- Soft Diffuser
- V-mount to Sony F Series Battery Adapter

SKU #:	UPC Code:
LED-1X1	026127770848
896 LED VARICOLOR STUDIO LIGHT KIT	

Technical Specifications:

LEDs: 604 Hi-Intensity
Power Output: 36 W
Lumens: 1720 Lux / M
Color Temperature: 3200K-5600K variable
Beam Angle: 60°
Input: 12 - 14.8V DC
Dimens: 35 x 21 x 4cm
Unit Weight: 3.2 Lbs

LED-604

SKU #:	UPC Code:
LED-604	026127770794
604 LED VARICOLOR STUDIO LIGHTING KIT	



Technical Specifications:

LEDs: 896 Hi-Intensity
Power Output: 54 W
Lumens: 2200 Lux / M
Color Temperature: 3200K-5600K variable
Beam Angle: 60°
Input: 12 - 14.8V DC
Dimens: 30 x 30 x 4cm
Unit Weight: 3.5 Lbs





Z-96K

- 96 High intensity LEDs produce a 50W equivalent light beam
- Adjustable stepless dimmer for 0-100% brightness control
- Interlocking housing design allows creating a stackable multi-unit LED array
- Unit runs on: 5X AA Batteries or 7.2V Li-Ion Battery (Sony F Series) or AC power supply.
- Multi-color temperature selection 5600-4200K-3200K via filters
- Magnetic mounting system for fast & secure filter/diffuser usage
- HD Wide Angle (16:9) and Standard (4:3) Format compatible
- Fully adjustable universal shoe mount with tripod socket

Complete Set Includes:

Rugged, Foam Padded Hard Carry Case
Adjustable Hot-Shoe / Tripod Mount
3200K Tungsten Filter (magnetic mount)
4200K Soft Diffuser (magnetic mount)
Li-Ion Rechargeable Battery
Battery Charger (110V- 240V) w/ Euro
Vertical Interlock Accessory

Technical Specifications:

Unit Power: 7W, 5.8-16.8V
Illumination (lux): 2400/50cm, 800/1m
Color Temp.: 5600-3200K
Color Rendering Index: 85%
Beam Angle: Ultra Wide: 65°
Unit Weight (w/o battery): 6.6 oz.
Dimensions: 12.7 x 7.5 x 4.5cm

Sku #:	UPC Code:
Z-96K	026127770619
96 LED LIGHT with Battery, Charger, Filters, Mount, Case	

Z-96K4

Complete 4 Piece Light Kit Includes :

- Four Individual Z-96 Video Lights
- Horizontal mount with adapter stud
- Comfortable foam hand grip
- Adjustable tripod/shoe ball mount
- Stand bracket with umbrella receptacle
- 7.4V 7000mAh Li-ion battery and charger
- Battery cradle with 4 plug power cable
- 3200K tungsten filters & 4200K soft diffusers
- Rugged, Foam padded carry case

Sku #:	UPC Code:
Z-96K4	026127770688
4 Piece Z-96 LIGHT KIT with Studio Mounting Accessories	



LED-330 / LED-330X (VARICOLOR)

Complete Set Includes:

Adjustable Hot-Shoe / Tripod Mount
4200K Soft Diffuser + 3200K Filter (LED-330)
Li-Ion Rechargeable Battery (Sony L Type)
Battery Charger (110V- 240V) w/ Euro
AC Power Adapter (110-240V)

Technical Specifications:

Unit Power: 25W, 7-8V
Illumination (lux): 5500/50cm, 2500/1m
Color Temp (330) 5600-3200K with filter
Color Temp (330X) Variable 5600-3200K
Color Rendering Index: 90%
Beam Angle: Ultra Wide: 70°
Unit Weight (w/o battery): 14.2 oz.
Dimensions: 18x 12.5x 3.5cm

- Ultra-Slim, lightweight and portable design - Only 14 oz
- 330 High intensity LEDs produce a 180W equiv. light beam
- Adjustable stepless dimmer for 10-100% brightness control
- Includes a rechargeable battery (Sony F550 Type) & Charger
- Daylight balanced 5600K output color temperature (LED-330)
- Includes soft diffuser and 3200K tungsten filter (LED-330)
- HD wide angle (16:9) and standard (4:3) format compatible

Sku #:	UPC Code:
LED-330	026127770770
330 LED LIGHT w/with Battery Charger, AC Adapter & Filters	

Sku #:	UPC Code:
LED-330X	026127770787
330 Varicolor LED LIGHT w/ Battery, Charger, AC Adapter	



LED-150



Sku #: LED-150
UPC Code: 026127770756
150 LED LIGHT with Battery,
Charger, Filters, and Mount

Complete Set Includes:

Adjustable Hot-Shoe / Tripod Mount
3200K Tungsten & 4200K Soft Diffuser
Li-Ion Rechargeable Battery (Sony L Type)
Battery Charger (110V- 240V) w/ Euro

Technical Specifications:

Unit Power: 12W, 7-8V
Illumination (lux): 2900/50cm, 1300/1m
Color Temp.: 5600-3200K with filter
Color Rendering Index: 90%
Beam Angle: Ultra Wide: 70°
Unit Weight (w/o battery): 3.5 oz.
Dimensions: 14 x 7.5 x 2cm

- Ultra-Slim, lightweight and portable design - Only 3.5 oz
- 150 High intensity LEDs produce a 100W equiv. light beam
- Adjustable stepless dimmer for 10-100% brightness control
- Includes a rechargeable battery (Sony F550 Type) & Charger
- Daylight balanced 5600K output color temperature
- Includes snap-on 3200K tungsten filter and soft diffuser
- HD wide angle (16:9) and standard (4:3) format compatible

LED-230



Sku #: LED-230
UPC Code: 026127770763
228 LED LIGHT with Battery,
Charger, Filters, and Mount

Technical Specifications:

Unit Power: 20W, 7-8V
Illumination (lux): 4500/50cm, 2000/1m
Color Temp.: 5600-3200K with filter
Color Rendering Index: 90%
Beam Angle: Ultra Wide: 70°
Unit Weight (w/o battery): 5 oz.
Dimensions: 16.5 x 8.5 x 2cm

Complete Set Includes:

Adjustable Hot-Shoe / Tripod Mount
3200K Tungsten & 4200K Soft Diffuser
Li-Ion Rechargeable Battery (Sony L Type)
Battery Charger (110V- 240V) w/ Euro

- Ultra-Slim, lightweight and portable design - Only 5 oz
- 228 High intensity LEDs produce a 150W equiv. light beam
- Adjustable stepless dimmer for 10-100% brightness control
- Includes a rechargeable battery (Sony F550 Type) & Charger
- Daylight balanced 5600K output color temperature
- Includes snap-on 3200K tungsten filter and soft diffuser
- HD wide angle (16:9) and standard (4:3) format compatible

LED-300



Sku #: LED-300
UPC Code: 026126771074
300 LED LIGHT with Battery,
Charger, Filters, and Mount

Technical Specifications:

Unit Power: 28W, 8.4V
Illumination (lux): 5500/50cm, 2500/1m
Color Temp.: 5600, 4300, 3200K (filters)
Color Rendering Index: 95%
Beam Angle: Ultra Wide: 70°
Unit Weight (w/o battery): 9.2 oz.
Dimensions: 7.5 x 4.5 x .75in

Complete Set Includes:

Adjustable Hot-Shoe / Tripod Mount
3200K and 4300K Filters + Soft Diffuser
Li-Ion Rechargeable Battery (Sony L Type)
Battery Charger (110V- 240V) w/ Euro

- Ultra-Slim, lightweight and portable design - Only 9 oz
- 300 High intensity LEDs produce a 200W equiv. light beam
- Adjustable stepless dimmer for 10-100% brightness control
- Includes a rechargeable battery (Sony F550 Type) & Charger
- Daylight balanced 5600K output color temperature
- Includes snap-on 3200K & 4300K filters and soft diffuser
- HD wide angle (16:9) and standard (4:3) format compatible



LED-312

Complete Set Includes:

Rugged, Nylon Soft Carry Case
Adjustable Hot-Shoe / Tripod Ball Mount
Magnetic Snap-On Diffuser
Two (2) Li-Ion Rechargeable Batteries
Dual Bay Battery Charger (110V- 240V)
AC/DC Power Supply

Technical Specifications:

Unit Power: 7.4 - 14.8V DC
Illumination (lux): 6580/50cm, 750/1m
Color Temp Range: 5600-3200K
Color Rendering Index: 80%
Beam Angle: Ultra Wide: 60°
Unit Weight (w/2 batteries): 1.2 Lbs
Dimensions: 7.5 x 11 x 4.5 in

SKU #: LED-312
UPC Code: 026127770718
312 LED VARICOLOR
PROFESSIONAL LIGHT KIT

- 312 / 144 High intensity LEDs produce a powerful light beam
- User controlled color temp 5600K daylight to 3200K tungsten
- Adjustable stepless dimmer for 10-100% brightness control
- Runs on Li-Ion batteries or AC/DC power supply (both included)

- Compatible with Sony L series batteries (NP-F550, 750, 960)
- Magnetic mounting system for fast & secure diffusion filter application
- HD Wide Angle (16:9) and Standard (4:3) Format compatible
- Fully adjustable universal shoe mount with tripod socket

LED-144

Complete Set Includes:

Rugged, Nylon Soft Carry Case
Adjustable Hot-Shoe / Tripod Ball Mount
Magnetic Snap-On Diffuser
One (1) Li-Ion Rechargeable Battery
Battery Charger (110V- 240V)
AC/DC Power Supply

Technical Specifications:

Unit Power: 7.4 - 14.8V DC
Illumination (lux): 2354/50cm, 233/1m
Color Temp Range: 5600-3200K
Color Rendering Index: 80%
Beam Angle: Ultra Wide: 60°
Unit Weight (w/ battery): 9 oz
Dimensions: 5.5 x 3.5 x 1.5 in

SKU #: LED-144
UPC Code: 026127770701
144 LED VARICOLOR
PROFESSIONAL LIGHT KIT



Lighting

Consumer Photo & Video LED Lighting

LED-M52



Sku #:	UPC Code:
LED-M52	026127771081

Technical Specifications:

Power: Built-in Li-Ion Rechargeable Battery
Lux: 1020/50cm 340/1M
Color Temp.: 5600K
Unit Weight: 1.6oz
Dimensions: 7.5 x 2.8 x 2.8cm

Features :

Array of 52 LEDs provide bright, even lighting to a range of 50 feet
Up to 2 hour run time using the built-in rechargeable lithium battery
4 step dimmer control for 25, 50, 75 and 100% brightness adjustment
Includes mounting hardware for GoPro®, action cameras & phones
Two built-in 1/4-20 tripod sockets for horizontal or vertical mounting
Daylight balanced 5600K output. IP65 water-resistant housing

LED-36



Sku #:	UPC Code:
LED-36	02612770633



Features :

Array of 36 LEDs provide bright, even lighting to a range of 25 feet
Unique interlocking design allows stacking to create a multi-unit array
Up to 2 hour total run time using two 1000mAh Lithium-Ion batteries
Batteries can be charged via the included 110-240V AC Charger
Securely connects to the shoe-mount on most video cameras and SLR's
Includes additional adapter for Sony's AIS (Active Interface) shoe mount
Aluminum bracket for mounting to the cameras 1/4" tripod screw
Built-In diffuser provides even lighting and eliminates harsh shadows

Technical Specifications:

Unit Power: 4W 3.7V DC
Luminous Flux: 160LM
Color Temp.: 4300K
Unit Weight 2.5oz
Dimensions: 6 x 6 x 2.5cm

LED-36X



Sku #:	UPC Code:
LED-36X	02612770992

Features :

Array of 36 LEDs provide bright, even lighting to a range of 25 feet
Unique interlocking design allows stacking to create a multi-unit array
Up to 2 hour total run time using three AAA Batteries (not included)
Securely connects to the shoe-mount on most video cameras and SLR's
Aluminum bracket for mounting to the cameras 1/4" tripod screw
Built-In diffuser provides even lighting and eliminates harsh shadows

LED-70



Features :

Array of 72 LED's provide bright, even lighting to a 40' Range
Unit runs on batteries or AC power (A/C adapter included)
Included Li-Ion batteries provide a 2 hour run time
Attaches to the shoe-mount on most video cameras & SLRs
Includes dimmer control & Shoe adapter for Sony AIS mount
interlocking design allows stacking for a multi-unit array
Aluminum bracket for optional 1/4" tripod socket mounting

Sku #:	UPC Code:
LED-70	02612770257

Technical Specifications:

Unit Power: 6W 3.7V DC
Luminous Flux: 320LM
Color Temp.: 5600K
Illumination Angle: 60°
Dimensions: 9 x 9 x 3cm

Microphones Pro Video & Broadcast Microphone Kits



Complete Set Includes:

Suspension Shock mount
Adjustable Stand Mount
Camera Shoe Adapter
Furry Wind Muff
Foam Wind shield
Cushioned Hand Grip
26 foot XLR Cable
16" XLR to 3.5mm Cable
16" XLR to XLR Cable
3.5mm to 6.3mm Adapter
AA Alkaline Battery

Technical Specifications:

Transducer type: Electret Condenser
Frequency response: 100 Hz – 20 KHz
Nominal / Load impedance: 1K Ohm / 2.3K Ohm
Polar pattern: Cardioid and Super Cardioid
Sensitivity (Short) Long: (-45 db) -38 db
Power: AA alkaline battery 1.5V / Phantom 48V
Output connector: XLR 3-pin male
Dimensions: 14.2" Long x .87"Diam. (360x22mm)
Weight: 4.4 oz (125g) without battery

- Durable aluminum-alloy construction for indoor & outdoor use
- Superb off-axis signal attenuation provides focused audio pickup
- Perfect for interviews, film shoots, promo videos & studio recording
- Includes furry wind muff, foam wind shield & cushioned hand grip
- Includes long and short (on-camera) audio cables with multiple connectors to support XLR, 3.5mm mini plug and 6.3mm AV jacks
- Includes adjustable shock mount & stand mount with adapters for 5/8" (boom pole), 1/4" screw & Camera Shoe-mount applications

Complete Set Includes:

Suspension Shock mount
Adjustable Stand Mount
Camera Shoe Adapter
Furry Wind Muff
Foam Wind shield
Cushioned Hand Grip
26 foot XLR Cable
16" XLR to 3.5mm Cable
16" XLR to XLR Cable
3.5mm to 6.3mm Adapter
AA Alkaline Battery

Technical Specifications:

Transducer type: Electret Condenser
Frequency response: 100 Hz – 16 KHz
Nominal / Load impedance: 1K Ohm / 2.3K Ohm
Polar pattern: Super Cardioid
Sensitivity (Short) Long: (-45 db) -38 db
Power: AA alkaline battery 1.5V
Output connector: XLR 3-pin male
Dimensions: 10.8" Long x .87"Diam. (275x22mm)
Weight: 3.4 oz (96g) without battery



XM-55

Sk# UPC Code:
XM-55 026127770817
10 Inch Condenser Shotgun
Microphone Kit AA 1.5V DC

Microphones

XM-W4 WIRELESS UHF MICROPHONE KIT

Technical Features:

Delivers Ultra-High Quality, Crystal Clear Audio
Designed for professional ENG, EFP and DSLR video
Up to 48 selectable UHF Channels to choose from
Backlit LCD Display & compact size for easy concealment
Powerful Transmit Range (up to 300 feet line of sight)
Over 6 hours of continuous operation on 2 AA batteries
Receiver includes input for headphone monitoring
Transmitter features line-in, mic inputs, selectable mute
Includes Lav mic, XLR & 3.5mm cables, Shoe-mount



Sku #:	UPC Code:
XM-W4	026127770985
Wireless UHF Microphone Kit Includes Lavalier Microphone	

XM-AD2

DUAL CHANNEL XLR to MINI AUDIO ADAPTER

Features:

Ultra high-quality transformers reduce RFI, hum and other unwanted noise
Independently adjust signal levels on each input channel using dual trim controls
Passive operation provides noise free, plug-n-play operation (no batteries needed)
Extremely wide dynamic range for superb, clean and crisp sounding audio
Camera easily attaches to the unit via built-in tripod screw
Integrated 1/4" socket for mounting onto tripod or other support equipment

Sku #:	UPC Code:
XM-AD2	026127770947
Dual-Channel XLR to Mini Passive Audio Adapter	



XM-AD5

MINI AUDIO PREAMP MIXER

Features:

Includes two mini condenser microphones
High quality transformers reduce RFI and other noise
Independently adjust signal levels on each input channel using dual trim controls
Includes two 3.5mm stereo line/mic inputs, 1 mini-XLR input, 2 1/8" line out
Mounts easily to the shoe-mount on video cameras and camcorders
Integrated cold-shoe for mounting additional microphone. Requires 9V Battery

Sku #:	UPC Code:
XM-AD5	026127770961
Mini Audio PreAmp Mixer for DSLRs & Video Cameras	

Microphones

WIRED LAVALIER MICROPHONES FOR CAMERAS AND SMARTPHONES

XM-L

20' Audio Cable

Technical Specifications:
 Transducer: Electret Condenser
 Polar pattern: Omni-directional
 Frequency Range: 65Hz~18KHz
 Signal/Noise: 74dB SPL
 Sensitivity: -30dB +/- 3dB / 0dB=1V/Pa, 1kHz
 Output Impedance: 1000 Ohm or less
 Connector: 3.5mm (1/8") 4-pole mini-plug

Sku #: 026127770855
 XM-L
 Wired Lavalier Microphone for Cameras and Smartphones

XM-L2

20' Audio Cable

Technical Specifications:
 Transducer: Electret Condenser
 Polar pattern: Omni-directional
 Frequency Range: 35Hz~18KHz
 Signal/Noise: 78dB SPL
 Sensitivity: -38dB +/- 3dB / 0dB=1V/Pa, 1kHz
 Output Impedance: 200 Ohm or less
 Connector: XLR Type
 Power: 48V Phantom

Sku #: 026127770954
 XM-L2
 Wired XLR Lavalier Microphone 48V Phantom

XLR Powered

DUAL HEAD WIRED LAVALIER MICROPHONES FOR CAMERAS AND SMARTPHONES

XM-DLC

Sku #: 026127771166
 XM-DLC
 Dual-Head Wired Lavalier Microphone for Cameras

XM-DLS

Technical Specifications:
 Transducer: Electret Condenser
 Polar pattern: Omni-directional
 Frequency Range: 65Hz~18KHz
 Signal/Noise: 74dB SPL
 Sensitivity: -30dB +/- 3dB / 0dB=1V/Pa, 1kHz
 Output Impedance: 1000 Ohm or less
 Connector: 3.5mm (1/8")

Sku #: 026127771173
 XM-DLS
 Dual-Head Wired Lavalier Microphone for Smartphones

WIRED LAVALIER MICROPHONES FOR GOPRO HERO CAMERAS

XM-G10

- Designed for use with GoPro Hero 2, 3, 3+, 4 cameras
- Includes USB mic adapter, lapel clip & foam wind screen
- Microphone connects via a 4' long cable with 3.5mm plug

20' Audio Cable

Sku #: 026127770893
 XM-G10
 Wired Lavalier Microphone for GoPro HERO Cameras

XM-G

Technical Specifications:

Transducer type: Electret Condenser
 Frequency response: 35 Hz - 18 KHz
 Sensitivity: -30db 3db 0db=1V/Pa 1Khz
 Polar pattern: Omni Directional
 Output impedance: 1K Ohm or less
 Connector: 3.5mm mini plug
 Weight: 17g, USB 9g

4' Audio Cable

Sku #: 026127770886
 XM-G
 Lavalier Microphone for GoPro Hero 4, 3+, 3, 2 Action Cams

Microphones DSLR and Video Camera Microphones



Sku #: UPC Code:
XM-CS 026127771005
XY Stereo Condenser Microphone Kit with Shock Mount

XM-CS

Includes foam wind screen and furry wind shield

Technical Specifications:

Transducer type: Condenser Stereo X/Y
Frequency response: 60Hz - 18kHz 3dB
Output impedance: 2000 Ohms or less
Polar pattern: Dual Capsule X/Y Opposed
Sensitivity: -30dB +/- 1dB / 0dB=1V/Pa,1kHz
Signal to noise ratio: 78dB or more
Power: 1 AA alkaline battery
Output: Fixed Stereo cable 3.5mm plug
Dimensions: 18.5cmL x 2cmH Dia.
Weight: 3.5oz (100g) without battery



Sku #: UPC Code:
XM-40 026127770862
Condenser Shotgun Video Mic with Fuzzy Windbuster

XM-40

Includes foam wind screen and furry wind shield

Technical Specifications:

Transducer type: Condenser (unidirectional)
Frequency response: 35 - 20,000 Hz
Output impedance: 200 Ohms or less
Polar pattern: Super Cardioid
Sensitivity: -40dB +/- 1dB / 0dB=1V/Pa,1kHz
Signal to noise ratio: 75dB or more
Power: 9V alkaline battery
Output: Fixed 24" cable 3.5mm plug
Dimensions: 22cmL x 10cmH x 5.5cmD
Weight: 4oz (121g) without battery

XM-CM

Compact Micro

Sku #: UPC Code:
XM-CM 026127771142
Compact Micro On-Camera Microphone with Shock Mount



Includes furry wind shield

Technical Specifications:

Transducer type: Electret Condenser
Frequency response: 35Hz - 18kHz 3dB
Output impedance: 200 Ohms or less
Polar pattern: Cardoid
Sensitivity: -42dB +/- 1dB / 0dB=1V/Pa,1kHz
Signal to noise ratio: 76dB or more
Power: No battery required
Output: Fixed Stereo cable 3.5mm plug
Dimensions: 8cmL x 2.2cm Dia.
Weight: 3oz (86g)



Includes foam wind screen and furry wind shield

XM-45

Sku #: UPC Code:
XM-45 026127771159
Condenser Shotgun Video Mic w/ Foam & Furry Windscreens

Technical Specifications:

Transducer type: Electret Condenser
Frequency response: 35 - 20,000 Hz
Output impedance: 200 Ohms or less
Polar pattern: Super Cardoid
Sensitivity: -38dB +/- 1dB / 0dB=1V/Pa,1kHz
Signal to noise ratio: 78dB or more
Power: 1 AA alkaline battery
Output: Fixed Stereo cable 3.5mm plug
Dimensions: 17L x 9H x 4.5W cm.
Weight: 3.3oz (97g) without battery



XM-8

Sku #: UPC Code:
XM-8 026127770831
Mini Condenser Microphone AAA Battery Powered

Technical Specifications:

Transducer type: Condenser
Directional Pattern: Unidirectional
Frequency Range: 38Hz - 20KHz
Sensitivity: -40dB - 2dB re 1V/Pa @1kHz
Output Impedance: 1K Ohm or less
Signal to Noise Ratio: 7.5 dB or more
Power: 1.5V AAA battery
Dimensions: 4.3"L x 3"H x .7"D
Output connector: 3.5mm Mini Plug



MA-SP

3.5mm MICROPHONE ADAPTER FOR SMART PHONES AND TABLETS

Adapts Microphone signals from TRS (standard output) to TRRS (smart phone)

Sku #: UPC Code:
MA-SP 026127321002
TRS-TRRS Microphone Adapter for Smart Phones



MA-GP

USB MICROPHONE ADAPTER FOR GOPRO HERO ACTION CAMERAS

Compatible with:
GoPro Hero 4+, Hero 4
Hero 3+ Hero 3, Hero 2


Sku #: UPC Code:
MA-GP 026127320999
USB to 3.5mm Microphone Adapter for GoPro Hero Cams

Melamount Professional Multimedia Rigs for Apple iPhone and iPad

Designed exclusively for iPhone and iPad, the Melamount® is a platform which enables your ios device to record professional quality photos and videos. Unique swing-out handles provide a firm grip for shake-free footage capture while several shoe mounts allow attaching many accessories such as video lights and microphones. Integrated 1/4-20" sockets enable mounting the unit onto a tripod both vertically and horizontally.



Integrated swing-out handles provide a firm grip for stability during handheld video recording. The handles can also function as a tabletop stand and fold neatly into the case when not in use.



Metal threaded lens mount can accept a variety of 37mm lenses and filters to expand your creative abilities



Three Cold Shoe Mounts are provided for attaching video lights, microphones receivers and other video accessories



Built-in tripod socket for mounting directly onto a tripod, monopod, slider or any 1/4" device. An additional tripod socket on the side for mounting horizontally and vertically.

MELAMOUNT FOR APPLE iPhone

iPhone 8
iPhone 8 Plus
iPhone 7
iPhone 7 Plus
iPhone 6 & 6S

Sku #:	UPC Code:
MM-IPHONE7	609595864846
Melamount for Apple iPhone 8 / iPhone 7	

Sku #:	UPC Code:
MM-IPHONEPLUS	026127401483
Melamount for Apple iPhone 8 Plus / iPhone 7 Plus	

Sku #:	UPC Code:
MM-IPHONE6/6S	609595864839
Melamount for Apple iPhone 6 / iPhone 6S	

MELAMOUNT FOR APPLE iPad

iPad Pro 9.7
iPad Air 2
iPad Mini
iPad 2,3 & 4

Sku #:	UPC Code:
MM-IPADPRO9.7	609595864785
Melamount for Apple iPad Pro 9.7	

Sku #:	UPC Code:
MM-IPADAIR2	609595864778
Melamount for Apple iPad Air 2	

Sku #:	UPC Code:
MM-IPADMINI	609595864761
Melamount for Apple iPad Mini	

Sku #:	UPC Code:
MM-IPAD234	609595864754
Melamount for Apple iPad 2 / iPad 3 / iPad 4	



Bubble Level to assist mounting and keeping the unit even during recordings




MelaMount Accessories (sold separately)

- 36 LED Video Light (MM-LED36)
- Condenser Microphone (MM-XMB)
- 20KmAh Power Bank (MM-PCM20K00)
- 37mm 2X Telephoto Lens (MM-372XLENS)
- 37mm Wide Angle Lens w/ Macro (MM-37WIDELENS)
- 37mm UV CPL, FLD Filter Kit (MM-37FILTERKIT)



HDSLR Accessories

Cages, Stabilizers & Brackets



HDSLR Accessories



Sku #: UPC Code:
MH-430 026127320326
Wired Motorized Pan & Tilt
Gimbal Head. Incl Carry Case

MH-430

Motorized Pan &
Tilt Gimbal Head

CX-400
JIB CRANE &
TRIPOD KIT

INCLUDES:
Jib Crane
Pro Tripod
Fluid Pan Head
3 Barbell Weight Disks
Counter Weight Sand Bag
2 Padded Interlocking Cases

Reaches
10'
Operational
Height!



Sku #: UPC Code:
CX-400 026127320951
Professional Travel Jib and
Tripod Kit Incl. Carry Cases

Sku #: UPC Code:
MH-365 026127320302
Motorized Time-Lapse Pan Head
For DSLRs, Video & GoPro Cam

MH-365



Sku #: UPC Code:
MH-300 02612771043
Motorized Pan Head for GoPro
Smart Phones and Camcorders

MH-300



MR-500

Sku #: UPC Code:
MR-500 02612770916
Pro DSLR Shoulder Rig with
Motorized Follow Focus & Zoom



Motorized Follow Focus and
Zoom Control Shoulder Rig

JIB SPECIFICATIONS:
Max Load Capacity: 8 Lbs
Material: Aluminum Alloy
Overall Dimensions
(Incl. Handle): 6 Feet
Unit Weight: 4.2 Lbs
Tube Diameter: 28mm

TRIPOD SPECIFICATIONS:
Max Load Capacity: 26 Lbs
Material: Aluminum Alloy
Max Height: 6 Feet
Folded Height: 26 Inches
Sections: 3 / Twist Lock
Tube Diameter: 31 / 25mm
Unit Weight: 5.2 Lbs

Counterweights: 3x 1.4Lbs
Overall Weight: 16.5 Lbs

Professional Travel Tripods

**VENTURE
MAXX
SERIES**



Advanced
Ball Head
Included

Sku #: UPC Code:
AT-52 026127320616
52" Professional Travel Tripod
w/ Ball Head, 5 Section Legs

Sku #: UPC Code:
AT-62 026127320623
62" Professional Travel Tripod
w/ Ball Head, 4 Section Legs

Sku #: UPC Code:
AT-72 026127320630
72" Professional Travel Tripod
w/ Ball Head, 4 Section Legs



Quick-Release
Disc Mount
Included

Sku #: UPC Code:
MP-66 026127321309
66" Professional Monopod w/
Air-Lock and Stand, 5 Section



Folding
Stand



Lightweight Aluminum Tripods



Sku #: UPC Code:
TT-50 026127321088
50" Aluminum Tripod with 3
Way Pan Head, Incl. Case

Sku #: UPC Code:
TT-56 026127321071
56" Aluminum Tripod with 3
Way Pan Head, Incl. Case

Sku #: UPC Code:
TT-66 026127321064
66" Aluminum Tripod with 3
Way Pan Head, Incl. Case

Sku #: UPC Code:
TT-76 026127321057
76" Aluminum Tripod with 3
Way Pan Head, Incl. Case



Sku #: UPC Code:
TT-22 026127321095
22" Heavy-Duty Aluminum
Tabletop Tripod 3 Leg Section



Sku #: UPC Code:
TT-12 026127320203
12" Professional Table Top
Tripod for DSLRs



Sku #: UPC Code:
PD-1 026127320685
Universal Heavy-Duty Tripod
Dolly w/ Locking Wheels

Selfie Sticks

Sku #: UPC Code:
TA-GP 026127320975
Tripod Adapter for GoPro
Hero Action Cameras

Sku #: UPC Code:
TA-SP 026127320968
Adjustable Tripod Adapter for
Smartphones

Sku #: UPC Code:
MP-11 026127320234
Compact Folding Selfie Stick
w/ Wired Shutter for Phones

Sku #: UPC Code:
MP-12 026127320982
Selfie Stick for Phones, GoPro
& Digital Cameras

Sku #: UPC Code:
MP-20 026127320227
Action Pole for GoPro, Phones
& DSLRs (up to 2lbs.)

Sku #: UPC Code:
MP-10 026127320715
Extendable Handheld 27" Monopod

Sku #: UPC Code:
TA-SF 026127771104
Folding Smart Phone Tripod
Adapter with Threaded Socket

Sku #: UPC Code:
FH-GP 026127770923
Floating Hand Grip for GoPro
Hero Action Cameras

Sku #: UPC Code:
MP-15 026127321118
2in1 Mini Tripod & Selfie Stick
With Bluetooth Remote

Bluetooth

Tripods

Sku #: UPC Code:
GP-14 026127320890
7" Flexible Tripod For Small
Digital Cameras Camcorders

Sku #: UPC Code:
GP-24 026127320906
11" Flexible Tripod For SLRs
Digital Cameras Camcorders

Sku #: UPC Code:
WT-5 026127320654
Tabletop Wire Tripod w/ Pocket Clip

Sku #: UPC Code:
FR-GP 026127770909
Frame Mount for GoPro Hero
Action Cameras

Sku #: UPC Code:
DT-10 026127320272
Ultra-Slim Folding Tripod 5"
for Cameras up to 8lbs

Sku #: UPC Code:
TT-6 026127321101
6" Tabletop Tripod & HandGrip
With Articulating Ball Head

Sku #: UPC Code:
TT-4 026127320197
4" Tabletop Tripod & HandGrip
Combo with Wrist Strap

Camera Batteries & Chargers



Premium-Tech AC/DC Battery Charger
available in box or blister packing



Universal Chargers



Sku #:	UPC Code:
XP-UNV	026127650768

AC/DC Universal Charger for
Li-Ion, NiMH, AA and AAAs



Sku #:	UPC Code:
PT-UNV	026127650768
Universal Battery Charger	
PT-UNC	026127700050
Universal Charger w/ Car Plug	



AC Adapter/DC Couplers



Sku #:	UPC Code:
AC-LPE6	026127650805
Compatible With Canon DR-E6	

Sku #:	UPC Code:
AC-BLD10	026127650843
Compatible W/ Panasonic DCC9	

Sku #:	UPC Code:
AC-LPE8	026127650812
Compatible With Canon DR-E8	

Sku #:	UPC Code:
AC-BLC12	026127650850
Compatible W/ Panasonic DCC8	

Sku #:	UPC Code:
AC-EL14	026127650829
Compatible With Nikon EP-5A	

Sku #:	UPC Code:
AC-FW50	026127650867

Compatible With Sony NEX 5, 3

Sku #:	UPC Code:
AC-EL15	026127650836
Compatible With Nikon EP-5B	

Sku #:	UPC Code:
AC-GP301	026127650881
Compatible With GoPro Hero 3. 3+	

DSLR Battery Grips



Dual-Bay USB Battery Charger (Box only)



Lithium & AA/AAA Batteries & Chargers



GoPro
& Phone
Power Grip

Sku #: PB-22
UPC Code: 026127771111
2200mAh Portable Power Bank

Rechargeable
Power Bank



Sku #: PG-6
UPC Code: 026127650904
Power Grip for GoPro & Phones

Sku #: XP-223
UPC Code: 026127650782
Smart Charger for Li-Ion, LifePO



Smart Charger

Sku #: XP-18650
UPC Code: 026127650911
2-Pack 18650 Batt. & Charger Kit



Li-Ion 18650

Li-Ion CR-123A

Sku #: XP-123A
UPC Code: 026127650775
4-Pack CR-123A Batt. & Charger



Sku #: XP-333
UPC Code: 026127650539
Four charging bays (2 individual channel pairs)
Four AA 2900mAh batteries included
XP-350 026127650577
Same charger as above
Four AAA 1150mAh batteries included

AA & AAA Rechargeable Ni-MH



Sku #: XP-4AAP
UPC Code: 026127650737
4 Pack AA 2950mAh
Performance Battery
Case Pack: 10/120



Sku #: XP-4AAA
UPC Code: 026127650660
4 Pack AAA 1150mAh Batteries
Case Pack: 8/192



Sku #: XP-10AAP
UPC Code: 026127650676
10 Pack AA 2950mAh Batteries
Case Pack: 8/192

Lenses & Camera Care



Sku #: UPC Code:
LN-58W 026127321194
LN-52W 026127321217
58mm/52mm .43X Wide-Angle
Lens with Macro. Incl. Pouch



Sku #: UPC Code:
LN-58T 026127321187
LN-52T 026127321200
58mm/52mm 2.2X Telephoto
Lens. Includes Pouch



Sku #: UPC Code:
LB-BK 026127321255
Universal Lens Band & Zoom
Creep Preventer (Black)



Sku #: UPC Code:
SL-8F 026127761266
Pro Sensor Loupe w/8 LEDs
Includes Gooseneck Stand



Sku #: UPC Code:
SL-8 026127761242
Pro Sensor Loupe w/ 8 LEDs
Built-In Rechargeable Battery



Sku #: UPC Code:
FL-58 026127321224
FL-52 026127321231
58mm/52mm 3-Piece w/ Case
Lens Filter Kit. UV-CPL-LFD



Sku #: UPC Code:
SL-5 026127761235
Mini Sensor Loupe w/ 6 LEDs
Includes 4 LR41 Button Cells



Sku #: UPC Code:
PLM-37 026127321248
37mm Lens Mount Clip for
Smart Phones



Sku #: UPC Code:
CC-15 026127761228
Microfiber Lens Cleaning
Cloth 8cm x 8cm in Case



Sku #: UPC Code:
CK-2 026127321149
Lens Cap Keeper / Saver
for DSLRs (Universal)

Sku #: UPC Code:
SB-4 026127761259
Spinning Static Sensor / Lens
Cleaning Brush with 4 LEDs



Sku #: UPC Code:
BL-2 026127321262
Large Rubber Air Blower Bulb
Dust Cleaning Pump



Sku #: UPC Code:
LP-2 026127321279
3 in 1 Lens Cleaning Pen and
Brush



Sku #: UPC Code:
CCK-3 026127770442
3 Piece Photo Accessory Kit
Cloth, Swabs, Solution in Box



Sku #: UPC Code:
CCK-5 026127770459
5 Pc Accessory Kit: Tissues
Swabs, Solution, Blower, Cloth



Sku #: UPC Code:
HL-406 4716237854069
3 pc. Screen Protector Film Kit
with Wet Wipes and Squeegee

Media Card Accessories



Sku #: CR-SDHC
UPC Code: 026127650645
4 in 1 SD / SDHC Card Reader
USB 2.0 with Protective Cap



Sku #: CR-MW
UPC Code: 026127650713
Multi Card Reader / Writer
With 3' USB Extension Cable



Sku #: MEM-4
UPC Code: 026127650652
Bi-Fold 4-Slot Media Card
Holder, Soft Leather-Like



Sku #: MEM-3
UPC Code: 689466106671
Tri-Fold 3-Slot Media Card
Holder, Soft Leather-Like



Sku #: SD-6
UPC Code: 026127321125
6 Slot SD Media Card Holder
Clear Plastic w/ Snap Top Lids



Sku #: SD-12
UPC Code: 026127321132
12 Slot SD Media Card Holder
Clear Plastic w/ Snap Top Lids



Sku #: SD-8
UPC Code: 026127650874
8 Slot SD and MicroSD Card
Holder Clear Plastic w/ Inserts




Sku #: SD-1
UPC Code: 026127650485
Steel Media card Holder for 8
SD and MicroSD Cards

Sku #: COMP-1
UPC Code: 026127650270
Steel Media card Holder for 4
COMP Media Cards

Camera Straps

Sku #: FS-1
UPC Code: 026127321163
Waterproof Camera Floating
Wrist Strap Yellow Neoprene



Sku #: FS-2
UPC Code: 026127321170
Waterproof Camera Floating
Wrist Strap Yellow Nylon



Sku #: SS-10
UPC Code: 026127401445
Padded Neck and Shoulder
Camera Strap 40 Inches



Sku #: WS-2
UPC Code: 026127321156
Padded Grip and Wrist Strap
For DSLR Cameras



Sku #: MEM-200
UPC Code: 026127650744
Camera Neck Strap
Neoprene & Nylon 40"



Studio Accessories White Balance Cards, Discs, Reflectors



Sku #: WB-24
UPC Code: 026127320852
24" White Balance Disk & Reflector
Front: 18% Grey, Rear: White

Sku #: WB-12
UPC Code: 026127320845
12" White Balance Disk & Reflector
Front: 18% Grey, Rear: White



Sku #: WB-7
UPC Code: 026127320838
5 x 7" White Balance Card Set
18% Grey, White, Black (blister)

Sku #: WB-3
UPC Code: 026127320821
2 x 3" White Balance Card Set
18% Grey, White, Black (in Box)



Sku #: RF-82
UPC Code: 026127320920
32 Inch Reflector Disc Triangle
Gold, Silver with Foam Handle



Sku #: RF-80
UPC Code: 026127320913
32 Inch Reflector Disc 5-in-1
White Black Gold Silver Grey

Sku #: RF-110
UPC Code: 026127770978
43 Inch Reflector Disc 5-in-1
White Black Gold Silver Grey



Sku #: RF-T30
UPC Code: 026127321326
30x30cm Reflective Acrylic
Display Table Black & White



Professional Photo & Video Cases



Sku #: UPC Code:
ACT-60 026127401476
Custom Case For GoPro Hero
Cameras and Accessories

Custom Designed
for the
GoPro
Be a HERO
Action Cameras
and Accessories



Sku #: UPC Code:
TC-45 026127320321
Padded Tripod Carry Case for
Tripods up to 45 Inches Long

Sku #: UPC Code:
TC-35 026127320401
Padded Tripod Carry Case for
Tripods up to 35 Inches Long

Sku #: UPC Code:
TC-27 026127320395
Padded Tripod Carry Case for
Tripods up to 27 Inches Long

Sku #: UPC Code:
TC-22 026127320388
Padded Tripod Carry Case for
Tripods up to 22 Inches Long

Sku #: UPC Code:
TL-50 026127401452
Deluxe DSLR Camera Case
With 2 Interior Dividers



Sku #: UPC Code:
TL-25 026127401421
Top-Load DSLR Camera Case
With Padded Interior and Base



Sku #: UPC Code:
TL-35 026127401438
Top-Load DSLR Camera Case
With Padded Interior and Base



Sku #: Inner Dimensions:
STU-25 9"L x 5"W x 6"H
UPC Code: 026127400998



Sku #: UPC Code:
CR-225 6.5"L x 4.5"W x 4.5"H
UPC Code: 026127400370



Sku #: UPC Code:
CR-125 5.5"L x 3.5"W x 4"H
UPC Code: 026127400363



Point-n-Shoot Camera Cases



Sku #: UPC Code:
CG-10 026127401353
Camera Guard Steel Case
Black Color

Sku #: UPC Code:
CG-10GY 026127401360
Camera Guard Steel Case
Grey Color



Sku #: UPC Code:
ACT-25 026127401278
1680D Nylon Camera Case for
Canon G Series - Black

Sku #: UPC Code:
ACT-25GY 026127401285
1680D Nylon Camera Case for
Canon G Series - Grey



Sku #: Inner Dimensions:
ACT-5 BK 4"H x 2.5"W x 1"D
UPC Code: 026127400660

Sku #: Inner Dimensions:
VHC-15 3.5"H x 2.5"W x 1"D
UPC Code: 026127760924

Sku #: Inner Dimensions:
EVA-10 BK 4.2"H x 3"W x 1"D
UPC Code: 026127761150

ACT-10 BK 4"H x 2.5"W x 1.5"D
UPC Code: 026127400677

VHC-20 4.9"H x 2.5"W x 1.6"D
UPC Code: 026127760931

EVA-20 BK 4.5"H x 3"W x 1.5"D
UPC Code: 026127761167

ACT-15 BK 4.75"H x 2.75"W x 1.75"D
UPC Code: 026127400684

VHC-25 4.9"H x 2.8"W x 2"D
UPC Code: 026127760948

EVA-10 SL 4.2"H x 3"W x 1"D
UPC Code: 026127761068

Case Pack: 6/58

Case Pack: 50/100

EVA-20 SL 4.5"H x 3"W x 1.5"D
UPC Code: 026127761075



Sku #: Inner Dimensions:
CS-10 BK 4.5"H x 3"W x .5"D
UPC Code: 026127401063

Case Pack: 100

CS-8 BK 4"H x 3"W x .5"D
UPC Code: 026127401230

Case Pack: 100



Sku #: Inner Dimensions:
CS-10 P 4.5"H x 3"W x .5"D
UPC Code: 026127401094

Case Pack: 100

CS-8 P 4"H x 3"W x .5"D
UPC Code: 026127401261

Case Pack: 100



Sku #: Inner Dimensions:
CS-10 R 4.5"H x 3"W x .5"D
UPC Code: 026127401087

Case Pack: 100

CS-8 R 4"H x 3"W x .5"D
UPC Code: 026127401254

Case Pack: 100



Sku #: Inner Dimensions:
CS-10 T 4.5"H x 3"W x .5"D
UPC Code: 026127401070

Case Pack: 100

CS-8 T 4"H x 3"W x .5"D
UPC Code: 026127401247

Case Pack: 100



Sku #: Inner Dimensions:
ACT-5BL 4"H x 2.5"W x 1"D
UPC Code: 026127400691

Sku #: Inner Dimensions:
ACT-5GR 4"H x 2.5"W x 1"D
UPC Code: 026127401131

Sku #: Inner Dimensions:
ACT-5GY 4"H x 2.5"W x 1"D
UPC Code: 026127401117

Sku #: Inner Dimensions:
ACT-5OR 4"H x 2.5"W x 1"D
UPC Code: 026127401124

Sku #: Inner Dimensions:
ACT-5PK 4"H x 2.5"W x 1"D
UPC Code: 026127401100

Sku #: Inner Dimensions:
ACT-5PU 4"H x 2.5"W x 1"D
UPC Code: 026127400714

Sku #: Inner Dimensions:
ACT-5SG 4"H x 2.5"W x 1"D
UPC Code: 026127400707

ACT-10BL 4"H x 2.5"W x 1.5"D
UPC Code: 026127400721

ACT-10GR 4"H x 2.5"W x 1.5"D
UPC Code: 026127401179

ACT-10GY 4"H x 2.5"W x 1.5"D
UPC Code: 026127401155

ACT-10OR 4"H x 2.5"W x 1.5"D
UPC Code: 026127401162

ACT-10PK 4"H x 2.5"W x 1.5"D
UPC Code: 026127401148

ACT-10PU 4"H x 2.5"W x 1.5"D
UPC Code: 026127400745

ACT-10SG 4"H x 2.5"W x 1.5"D
UPC Code: 026127400738

ACT-15BL 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127400752

ACT-15GR 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127401216

ACT-15GY 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127401193

ACT-15OR 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127401209

ACT-15PK 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127401186

ACT-15PU 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127400776

ACT-15SG 4.5"H x 2.8"W x 1.8"D
UPC Code: 026127400769

Case Pack: 6/48

Case Pack: 6/48

Case Pack: 6/48

Case Pack: 6/48

Case Pack: 6/48

Case Pack: 6/48

Case Pack: 6/48